



# KODAK

## portable PSSD X203

### Specification





KODAK PSSD X203 is a rotatable A+C dual head mobile solid-state USB drive, a new generation high-speed storage product that can provide a capacity range from 128GB to 1TB.

The read rate can achieve high performance up to UP to 500 MB/s<sup>1</sup> and 450 MB/s write. Tailored for users who need to quickly move large files, providing powerful performance for high-speed transfer of photos and 4K, 8K video files.

The Type-C to USB dual head design solves the usage limitations of different USB interfaces for different devices, making it easy and efficient to transfer files across platforms. The rotating interface design and durable metal casing make it easy to carry around without worrying about daily wear and tear.

## 1. Product specifications


- |  |   |
|--|---|
| <ul style="list-style-type: none"><li>● <b>Capacity</b><ul style="list-style-type: none"><li>■ 128GB, 256GB, 512GB, 1TB</li></ul></li><li>● <b>Size</b><ul style="list-style-type: none"><li>■ 70.7x15.9x9.7mm</li></ul></li><li>● <b>USB</b><ul style="list-style-type: none"><li>■ USB 3.2 Gen 1 A+ Type-C</li><li>■ Compliance with USB 2.0</li><li>■ Compliance with USB 1.1</li></ul></li><li>● <b>Operating System compatibility</b><ul style="list-style-type: none"><li>■ Support Windows XP and later version</li><li>■ Support MAC OS 10.8 and later version</li><li>■ Support Linux kernel 2.4.10 and later version</li></ul></li></ul> | <ul style="list-style-type: none"><li>● <b>Temperature Range</b><ul style="list-style-type: none"><li>■ Operation: 0°C ~ 45°C</li><li>■ Storage: -20°C ~ 75°C</li></ul></li><li>● <b>Certification</b><ul style="list-style-type: none"><li>■ CE</li><li>■ FCC</li><li>■ RoHS</li></ul></li></ul> |
|--|---|



## 2. Product Performance

PN Number	Capacity	Crystal Disk Mark	
		Read (MB/s)	Write (MB/s)
EKPSSD128GX203K	128GB	500	400
EKPSSD256GX203K	256GB	500	400
EKPSSD512GX203K	512GB	500	400
EKPSSD1TX203K	1TB	500	450

## 3. Product design rendering





## 4. Product packaging

