

# **KODAK**

## CFexpress Type B card CFE3 V400 流光 Specification









KODAK CFexpress Type B CFE3V400 is a memory card meticulously designed for videographers, strictly adhering to the VPG400 (Video Performance Guarantee) standard. It ensures a sustained minimum write speed of 400MB/s, guaranteeing uninterrupted recording of high-bitrate video formats.

Furthermore, with exceptional maximum read speeds of up to 1800MB/s and write speeds of up to 1650MB/s, it significantly reduces the export and transfer time for 4K/8K video footage, greatly enhancing post-production workflow efficiency.

This card is compatible with all mainstream cameras supporting the CFexpress Type B standard, offering plug-and-play convenience. Available in multiple capacities, it comprehensively meets the diverse needs of different users.

#### 1. Product specifications

- Capacity
  - TLC: 400GB, 800GB, 1600GB
- Dimensions
  - 38.5mm x 29.6mm x 3.8mm
- Flash Memory Management
  - Static and Dynamic Wear Leveling
  - Bad Block Management
  - TRIM
  - SMART
  - Over-Provision
  - Firmware Update

- Power consumption
  - Idle < 30 mW
  - L1.2 < 5 mW
- Temperature range
  - Operation: 0°C ~ 70°C
  - Storage: -25°C ~ 85°C
- Compliant with RoHS
- Function Support List
  - End to end data path protection
  - Thermal throttling
  - LDPC + RAID ECC
  - SmartRefresh<sup>TM</sup>



#### 2. Product Performance

PN Number	Capacity	Crystal Disk Mark	
		Read (MB/s)	Write (MB/s)
EKMCFX3V4P400G	400GB	1800	1600
EKMCFX3V4P800G	800GB	1800	1650
EKMCFX3V4P1600G	1600GB	1800	1650

### 3. Product design rendering







### 4. Product packaging



